

CLAIMS

- 1 1. A candle comprising:
 - 2 a. a central, axial core of candle fuel;
 - 3 b. a wick, extending axially within the central core; and
 - 4 c. a plurality of stacked rings having an opening, for receipt of the central core,
 - 5 said rings being disposed around the central core.
- 1 2. A candle in accordance with claim 1, wherein the rings are of differing compositions.
- 1 3. A candle in accordance with claim 2, wherein the rings have differing coloring agent
2 compositions.
- 1 4. A candle in accordance with claim 2, wherein the rings have differing fragrances.
- 1 5. A candle in accordance with claim 1, wherein the rings are non-flammable.
- 1 6. A candle in accordance with claim 1, wherein the core has a lower melting point from
2 the rings.

1 7. A candle in accordance with claim 2, wherein the rings have engaging ends that have
2 mating surface contours.

1 8. A candle in accordance with claim 1, wherein the rings have a circular cylindrical
2 periphery.

1 9. A candle in accordance with claim 1, wherein the rings have a square cylindrical
2 periphery.

1 10. A candle in accordance with claim 1, wherein said opening in the rings has a diameter
2 substantially equal an outside diameter of the central core for mating, slidable
3 engagement with the core.

1 11. A candle in accordance with claim 1, wherein the core extends a selected distance
2 above an upper-most stacked ring.

1 12. A candle in accordance with claim 1, wherein the core has a bottom flange extending
2 radially to form a base.

1 13. A candle in accordance with claim 12, wherein the base has a melting point higher
2 than the core.

1 14. A candle in accordance with claim 12, wherein the base is comprised of wax.

1 15. A candle in accordance with claim 12, wherein the base is comprised of a non-
2 flammable solid.

1 16. A candle in accordance with claim 12, wherein the periphery of the rings is
2 substantially in conformity with the periphery of the base.

1 17. A candle in accordance with claim 12, wherein at least one ring has a recessed cavity
2 that is matingly engageable around the base.